


PRODUCT-DETAILS

SAH/S16.16.7.1

SAH/S16.16.7.1 Switch/Shutter Actuator, 16-fold, 16 A, MDRC



Informations générales

| | |
|------------------------------|---|
| Extension du type de produit | SAH/S16.16.7.1 |
| Code de produit | 2CDG110251R0011 |
| EAN | 4016779066853 |
| Description courte | SAH/S16.16.7.1 Switch/Shutter Actuator, 16-fold, 16 A, MDRC |
| Description longue | The compact 16 A combi switch actuator has 16 independent switching relays. The outputs can be used individually via ABB i-bus® KNX for switching electrical loads or in pairs for controlling 230 V AC roller shutter or blind drives (no electromechanically interlocking). The device features a manual operation, which can also be disabled. Via the manual operation the outputs can be operated manually and the switching or driving status is displayed. The device is powered by KNX and requires no additional power supply. |

Commande

| | |
|------------------------|---------------|
| EAN | 4016779066853 |
| Code douanier | 85371091 |
| Quantité minimum | 1 pièce |
| E-Number (Switzerland) | 405 865 165 |
| E-Number (Finland) | 2814686 |
| E-Number (Sweden) | 1739889 |

Dimensions

| | |
|----------------------|---------|
| Produit Longueur Net | 63.5 mm |
| Produit Hauteur Net | 90 mm |

| | |
|---------------------|----------|
| Produit Largeur Net | 140 mm |
| Poids net | 0.502 kg |

Emballage

| | |
|-----------------------------|---------------|
| Emballage Niveau 1 Unités | box 1 pièce |
| Emballage Niveau 1 EAN | 4016779066853 |
| Emballage Niveau 1 Longueur | 182 mm |
| Emballage Niveau 1 Hauteur | 96 mm |
| Emballage Niveau 1 Largeur | 125 mm |
| Emballage Niveau 1 Poids | 0.596 kg |

Technique

| | |
|-------------------------------------|----------|
| Compatible Bus Systems | KNX (TP) |
| Indice de protection | IP20 |
| Type de montage | DIN-Rail |
| Width in Number of Modular Spacings | 8 |

Certificats et Déclarations (Numéro de document)

| | |
|--|-----------------|
| CB Certificate | 9AKK107991A3222 |
| Fiche produit, informations techniques | 2CDC505182D0211 |
| Déclaration de Conformité - CE | 2CDK505209D2701 |
| Instructions et manuels | 2CDG941212P0002 |
| Informations RoHS | 2CDK505209D2701 |

Environnement

| | |
|-------------|-----------------------------------|
| Statut RoHS | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

Classifications

| | |
|--|--|
| ETIM 7 | EC001097 - Switch actuator for bus system |
| ETIM 8 | EC001097 - Switch actuator for bus system |
| eClass | V11.0 : 27143125 |
| Catégorie DEEE | 5. Small Equipment (No External Dimension More Than 50 cm) |
| UNSPSC | 31251516 |
| Code de catégorie granulaire IDEA (IGCC) | 3268 >> Switch actuator |

Catégories

Produits basse tension → Home and Building Automation → KNX → Standard Outputs → Switch Actuators 16 A

